

VACCINES AND INNATE IMMUNITY: LESSONS FROM CYTOMEGALOVIRUS IMMUNOEVASION

Jonjić, Stipan

Conference presentation / Izlaganje na skupu

Permanent link / Trajna poveznica: <https://urn.nsk.hr/urn:nbn:hr:184:680622>

Rights / Prava: [Attribution 4.0 International](#)/[Imenovanje 4.0 međunarodna](#)

Download date / Datum preuzimanja: **2025-02-16**



Repository / Repozitorij:

[Repository of the University of Rijeka, Faculty of Medicine - FMRI Repository](#)



Stipan Jonjić

Stipan Jonjić, Faculty of Medicine University of Rijeka, Rijeka, Croatia

Cytomegalovirus (CMV) establishes life-long infection of its host, ensuring continuous supply of effector memory CD8⁺ T cells. CMVs possess numerous immunoevasion genes able to modulate basically any part of immune response, including NK cell and CD8⁺ T cell response. It is well established that deletion of these viral inhibitors leads to virus attenuation *in vivo*. These features make CMV a very attractive CD8⁺ T cell vaccine-vector candidate. Control of CMV infection is in great part dependent on NKG2D, an activating receptor when expressed on NK cells and co-stimulatory one when expressed on CD8⁺ T cells. We have constructed highly attenuated mouse CMV (MCMV) expressing NKG2D ligand RAE-1 γ inserted in place of its viral inhibitor (Slavuljica et al, 2010) and foreign CD8⁺ T cell epitope as well (Trsan et al, 2013). Such a recombinant vaccine-vector provided outstanding and long-lasting CD8⁺ T cell-mediated protection against challenge infections. Moreover, RAE-1 γ MCMV-vector circumvented MCMV interference of antigen presentation, improved antigen presentation to CD8⁺ T cells and potentiated memory CD8⁺ T cell response. Surprisingly, these immuno enhancing properties of RAE-1 γ expressing MCMV vector were retained even in NKG2D deficient mice, pointing to additional NKG2D-independent immune function of RAE-1 γ . In my talk, I will discuss the capacity of MCMV expressing RAE-1 γ as a vaccine vector against other pathogens, as well as tumors.

SPEAKERS ABSTRACTS

Day 3

